



**Product Code . EDS-LB-10858**

## Precision Balance, 220g

### Description

---

Jainco Export With numerous features and functions, precision balances are suitable for most lab weighing tasks.

It's display features a stylish look, with easy-to-read 24mm digits in white on a black background.

Ideal for international use, provides multilingual text and display capabilities.

USB and RS-232 interfaces facilitate data gathering and enable smooth communication with printers and computers.

The grade 304 stainless steel pan and sturdy ABS plastic construction are easy to keep clean, giving the rugged durability needed in a lab balance.

**Display:** Vivid, backlit LCD easily visible in any lighting conditions

**Power:** AC adapter included

### Hardware :

Colour-coded keys facilitate quick recognition of the most frequently used buttons

Security slot for optional Kensington-type lock and cable to help prevent theft

Large, grade 304 stainless steel pan allows easy cleaning

Sealed keypad protects against dirt and spills

Level indicator and adjustable feet ensure proper balance setup for optimum weighing results

USB and RS-232 interfaces provide speedy communication with computers and printers

### Software :

---

External calibration allows for verification and adjustment with weights  
Hold function freezes the displayed weight, allowing time to elapse without losing the result  
Printouts include date and time for data tracking within Good Laboratory Practices (GLP) guidelines  
Selectable digital filtering for animal/dynamic weighing enables consistent results for moving subjects  
Multilingual display allows use in many different countries  
Parts counting with preset sample sizes  
Auto power-off to save energy

**Specifications :**

**Capacity:** 220g

**Stabilisation Time:** 2.0

**Pan Size:** 120mm ø

**Weighing Units:** mg, g, ct, GN, dr, ozt, dwt, mm, tl.T, tl.H, tl.S, T, custom unit

**Calibration:** External calibration

**Power Supply:** 18V DC 50/60Hz 830mA adapter

**Construction:** ABS plastic

**Interface:** RS-232, USB

**Linearity:** 0.003g

**Readability:** 0.001g

**Repeatability:** 0.002g




**Operating Temperature:** 15° to 35°C

**Net Weight:** 4.1kg

**Overall Dimensions:** 224x374x219mm (w x d x h)

**Display Digit Height:** 24mm

---

Educational Lab Equipments,  
#449, HSIIDC, Industrial Area, Saha, Haryana  
Direct Contact Details  +91-98173-19615  sales@educational-equipments.com  
 [www.educational-equipments.com](http://www.educational-equipments.com)